

- Baijens, L. W. J., Clavé, P., Cras, P., Ekberg, O., Forster, A., Kolb, G. F., Leners, J. C., Masiero, S., Mateos-Nozal, J., Ortega, O., Smithard, D. G., Speyer, R., & Walshe, M. (2016). European society for swallowing disorders - European union geriatric medicine society white paper: Oropharyngeal dysphagia as a geriatric syndrome. In *Clinical Interventions in Aging* (Vol. 11, pp. 1403–1428). Dove Medical Press Ltd. <https://doi.org/10.2147/CIA.S107750>
- Barroso, J. (2009). Disfagia orofaríngea y broncoaspiración. In *Revista Espanola de Geriatria y Gerontología* (Vol. 44, Issue SUPPL. 2, pp. 22–28). Ediciones Doyma, S.L. <https://doi.org/10.1016/j.regg.2009.06.010>
- Bessey, L. J., & Walaszek, A. (2019). Management of Behavioral and Psychological Symptoms of Dementia. *Current Psychiatry Reports*, 21(8). <https://doi.org/10.1007/S11920-019-1049-5>
- Botero-Rodríguez, F., Córdoba Sastoque, A. M., Santacruz Escudero, J. M., & Santamaría-García, H. (2022). Neuropsychiatric Symptoms in Patients with Neurocognitive Disorder and Their Performance Between Mild and Major Stages. *Journal of Alzheimer's Disease*, 85(4), 1735–1744. <https://doi.org/10.3233/JAD-215283>
- Burhan, A. M., Hirsch, C. H., & Marlatt, N. E. (2018). Neuropsychiatric Symptoms of Major or Mild Neurocognitive Disorders. *Geriatric Psychiatry*, 467–494. [https://doi.org/10.1007/978-3-319-67555-8\\_22](https://doi.org/10.1007/978-3-319-67555-8_22)
- Chan, D. C., Kasper, J. D., Black, B. S., & Rabins, P. V. (2003). Presence of behavioral and psychological symptoms predicts nursing home placement in community-dwelling elders with cognitive impairment in univariate but not multivariate analysis. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 58(6), 548–554. <https://doi.org/10.1093/gerona/58.6.m548>
- Engel, C. (2022). Dementia, a Polypharmaceutical Phenomenon: The Intimate Combinations of Dementia Drugs in Brazil. *Culture, Medicine and Psychiatry*. <https://doi.org/10.1007/s11013-022-09793-2>
- Esquirol É: *Des Maladies Mentales Considérées Sous les Rapports Médical, Hygiénique et Médico-Légal*, vol. 1. Paris, Jean-Baptiste Baillière, 1838.
- Ferrero López, M. I., García Gollarte, J. F., Botella Trelis, J. J., & Juan Vidal, O. (2012). Detección de disfagia en mayores institucionalizados. *Revista Espanola de Geriatria y Gerontologia*, 47(4), 143–147. <https://doi.org/10.1016/j.regg.2011.09.004>
- García-Alloza, M., Gil-Bea, F. J., Díez-Ariza, M., Chen, C. P. L. H., Francis, P. T., Lasheras, B., & Ramirez, M. J. (2005). Cholinergic-serotonergic imbalance contributes to cognitive and behavioral symptoms in Alzheimer's disease. *Neuropsychologia*, 43(3), 442–449. <https://doi.org/10.1016/j.neuropsychologia.2004.06.007>
- Gómez Aguirre, N., Caudevilla Martínez, A., Bellostas Muñoz, L., Crespo Avellana, M., Velilla Marco, J., & Díez-Manglano, J. (2017). Pluripatología, polifarmacia, complejidad terapéutica y uso adecuado de la medicación. In *Revista Clínica Española* (Vol. 217, Issue 5, pp. 289–295). Elsevier Doyma. <https://doi.org/10.1016/j.rce.2016.12.013>
- Gómez-Busto, F., Andia, V., Ruiz de Alegría, L., & Francés, I. (2009). Abordaje de la disfagia en la demencia avanzada. In *Revista Española de Geriatria y Gerontología* (Vol. 44, Issue SUPPL. 2, pp. 29–36). Ediciones Doyma, S.L. <https://doi.org/10.1016/j.regg.2008.07.00>
- Martínez Arrechea, S., Ferro Uriguen, A., Beobide Telleria, I., González Bueno, J., Alaba Trueba, J., & Sevilla Sánchez, D. (2021). Prevalence of prescription of anticholinergic/sedative burden drugs among older people with dementia living in nursing homes. *Revista Española de Geriatria y Gerontología*, 56(1), 11–17. <https://doi.org/10.1016/j.regg.2020.09.008>
- Weintraub D, Irwin D. Diagnosis and Treatment of Cognitive and Neuropsychiatric Symptoms in Parkinson Disease and Dementia With Lewy Bodies. *Continuum* (Minneapolis Minn). 2022;28(5):1314-1332.